


QuSpot for RUT900/950

INTEGRATED MULTI-BAND LTE OMNI ANTENNAS + WIFI OMNI ANTENNAS + PLACE TO INSTALL TELTONIKA RUT950 OR 900 (ALL-IN-ONE)

QuSpot omni LTE antenna for Teltonika RUT950 of 900 router is a perfect outdoor device for mobile and fixed installations like industrial, CCTV, hotspots, yachts, boats, campers, RV etc. It has embedded also omni Wi-Fi antennas. If you use RUT950 or 900 with QuSpot antenna, you get an integrated complete solution with embedded router and multi band antennas in one enclosure.



OUTDOOR

ANTENNA

SOLUTION

Use Teltonika router wherever you want

Maximize your signal with QuWireless antennas

Plug Teltonika router and you are good to go



ı	17		CE				CF	TI	0	N
П	_	_	ЭГ	1 -	u	ш		1 I I	v	IV

FREQUENCY	0.694-0.96 GHz
	1.7 - 2.2 GHz
	2.2 - 2.7 GHz
GAIN	2 dBi
	2 dBi
	4 dBi
VSWR	<1.70, max <2.00
	<1.60, max <2.00
	<1.60, max <2.00
BEAMWIDTH	360°/35° +/- 5°
	360°/35° +/- 5°
	360°/35° +/- 5°
POLARIZATION	Vertical
IMPEDANCE	50 Ω
WI-FI SPECIFICATION	
FREQUENCY	2.40-2.50 GHz
	4.70 - 6.00 GHz
GAIN	6 dBi
	7 dBi
VSWR	<1.70, max <2.00
	<1.70, max <2.00
BEAMWIDTH	360°/25° +/- 5°
	360°/25° +/- 5°
POLARIZATION	Vertical
IMPEDANCE	50 Ω
MECHANICAL SPECIFICATION	ON
MATERIALS	ABS, aluminum, PTFE

MATERIALS	ABS, aluminum, PTFE
INGRESS PROTECTION	IP67
DIMENSIONS	160 x 160 x 240 mm
	6.3 x 6.3 x 9.45 inch
WEIGHT	1.5 kg
	3.31 lbs
OPERATING TEMPERATURE	From -40°C to 75°C
	From -40°F to 167°F



Dual SIM 3G industrial cellular router with WiFi and multiple Ethernet interfaces. Highly secure and reliable OpenWrt based router for most demanding low bandwidth applications where advanced networking functionality is needed.

RUT900 Datasheet

RUT900 User Manual

RUT900 Quick Start Guide



Rugged and durable professional 4G LTE Dual SIM cellular router with advanced WiFi, Ethernet and industrial grade networking functionality support. Quick to deploy, easy to manage and flexible for applications across most demanding market sectors.

RUT950 Datasheet

RUT950 User Manual

RUT950 Quick Start Guide

