
UniFi® Protect





UniFi Protect G4-Bullet Camera





Mechanical

Dimensions	Ø75 x 140 mm (Ø2.95 x 5.51")
Weight	Without Mount: 458 g (1.01 lb) With Mount: 520 g (1.15 lb)
Enclosure Material	Aluminum Alloy
Mounting Materials	Aluminum Alloy, Polycarbonate
Weatherproofing	IPX4
Resistance	IK04

Optics

Sensor	5 MP CMOS Sensor
Lens	Fixed Focal Length
View Angle	H: 80°, V: 60°, D: 111°
Night Mode	Built-in Light Sensor Built-in IR LED Illumination and IR Cut Filter

Video

Video Compression	H.264
Resolution	0700 - 4540 7470)
Resolution	2688 x 1512 (16:9)
Maximum Frame Rate	24 FPS
	24113
Image Settings	Brightness Contrast Sharpness Saturation Noise Reduction, 50/60 Hz

System

Processor Specs	Ambarella Advanced Image Processing SoC
Memory Information	512 MB DDR3L
Mangement Interface	UniFi Protect
Networking Interface	RJ45, 10/100/1000 Mbps Ethernet
Flash Memory Support	256 MB
Max. Power Consumption	4W
Power Method	802.3af PoE
Supported Voltage Range	802.3af PoE
Button	Factory Reset Button
Operating Temperature	-20 to 40° C (-4 to 104° F)
Operating Humidity	0 to 90% Noncondensing



Certifications FCC, IC, CE

Audio

Microphone Yes (Can be Disabled in Software)

Software

Controller Software	UniFi Protect
Mobile Apps	UniFi Protect iOS and Android

