

## Ubiquiti UniFi AC Pro Indoor / Outdoor Access Point (UAP-AC-PRO)



Product Name: Ubiquiti UniFi AC Pro Indoor / Outdoor Access Point (UAP-AC-PRO)

Manufacturer: Ubiquiti Networks

Model Number: UAP-AC-PRO

Please Note: 30 minutes remote support is available to help you configure this product with the UniFi Controller and Access Points. Please select, using the above attributes.


Please Note: The UAP-AC-PRO now comes with a PoE injector included. The PoE injectors do not include a UK Power Lead if you require a UK Power Lead to go with your injector, please select one using the above attributes.

Ubiquiti UniFi AC Pro Indoor / Outdoor Access Point UAP-AC-PRO (PoE Injector Included)  
The Ubiquiti UniFi AP AC Pro features the latest Wi-Fi 802.11ac, 3x3 MIMO technology in a refined industrial design and is ideal for deployment of maximum performance wireless networks. The Ubiquiti UniFi AP AC Pro is ideally suited for both indoor and outdoor deployments with a range of 122m (400ft).

Ubiquiti UniFi AP AC Pro Key Features


- 802.11ac
- 3x3 MIMO
- Simultaneous dual-band
- 2.4GHz throughput of 450Mbps
- 5GHz throughput of 1300Mbps
- 2 Gigabit Ethernet Ports

Up to 5X FasterThe Ubiquiti UniFi AP AC Pro supports simultaneous dual-band, 3x3 MIMO technology in the 5 and 2.4 GHz radio bands.



Deployment Example

# Ubiquiti UniFi AC Pro Indoor / Outdoor Access Point (UAP-AC-PRO)



## Ubiquiti UniFi AC Pro Indoor / Outdoor Access Point (UAP-AC-PRO)



## Ubiquiti UniFi AC Pro Indoor / Outdoor Access Point (UAP-AC-PRO)

### Ubiquiti UniFi AP AC Pro - Technical Specifications

#### General

- Dimensions: 196.7 x 196.7 x 35 mm (7.74 x 7.74 x 1.38")
- Weight: 350 g (12.4 oz)- With Mounting Kit: 450 g (15.9 oz)
- Networking Interface: (2) 10/100/1000 Ethernet Ports
- Port: (1) USB 2.0 Port
- Buttons: Reset
- Power Method: Passive Power over Ethernet (48V), 802.3af/802.3at Supported (Supported Voltage Range: 44 to 57VDC)
- Power Supply: UniFi Switch (PoE)
- Power Save: Supported
- Maximum Power Consumption: 9W
- Maximum TX Power:- 2.4 GHz: 22 dBm- 5 GHz: 22 dBm
- Antennas: (3) Dual-Band Antennas, 2.4 GHz: 3 dBi, 5 GHz: 3 dBi
- Wi-Fi Standards: 802.11 a/b/g/n/r/k/v/ac
- Wireless Security: WEP, WPA-PSK, WPA-Enterprise (WPA/WPA2, TKIP/AES)
- BSSID: Up to 8 per Radio
- Mounting: Wall/Ceiling (Kits Included)
- Operating Temperature: -10 to 70&deg; C (14 to 158&deg; F)
- Operating Humidity: 5 to 95% Noncondensing
- Certifications: CE, FCC, IC

#### Advanced Traffic Management

- VLAN: 802.1Q
- Advanced QoS: Per-User Rate Limiting
- Guest Traffic Isolation: Supported
- WMM: Voice, Video, Best Effort, and Background
- Concurrent Clients: 250+

#### Supported Data Rates (Mbps)

- Standard Data Rates:
- 802.11ac: 6.5 Mbps to 1300 Mbps (MCS0 - MCS9 NSS1/2/3, VHT 20/40/80)
- 802.11n: 6.5 Mbps to 450 Mbps (MCS0 - MCS23, HT 20/40)
- 802.11a: 6, 9, 12, 18, 24, 36, 48, 54 Mbps
- 802.11g: 6, 9, 12, 18, 24, 36, 48, 54 Mbps
- 802.11b: 1, 2, 5.5, 11 Mbps

**Price: £110.60**