

Ubiquiti UniFi AP AC Pro Indoor / Outdoor Access Point 5 Pack



Product Name: Ubiquiti UniFi AP AC Pro Indoor / Outdoor Access Point 5 Pack

Manufacturer: Ubiquiti Networks

Model Number: UAP-AC-PRO-5

Please Note: The UAP-AC-PRO does not come with a PoE injector included. If this is required, please select the kit from above which includes PoE Injectors and UK Power Cables.

Ubiquiti UniFi AP AC Pro Indoor / Outdoor Access Point 5 Pack

The Ubiquiti UniFi AP AC Pro 5 Pack features the latest Wi-Fi 802.11ac, 3x3 MIMO technology in a refined industrial design and is ideal for deployment of maximum performance wireless networks.

Ubiquiti UniFi AC Pro AP 5 Pack Key Features

- 5 x UAP-AC-Pro models
- 802.11ac
- 3x3 MIMO
- Simultaneous dual-band
- 2.4GHz throughput of 450Mbps
- 5GHz throughput of 1300Mbps
- 2 Gigabit Ethernet Ports

The UAP-AC-PRO is ideally suited for both indoor and outdoor deployments with a range of 122m (400ft). The UniFi AC-Pro features instand upgrade using the same mount as the standard UAP model.



Designed for Optimal RF Performance



SPECTRAL ANALYSIS
Collects feedback on full 5 GHz and 2.4 GHz channel interference.




BAND STEERING
Pushes clients to faster interference-free, 5 GHz channels.



AIRTIME FAIRNESS
Minimizes problem-client effects on system performance by limiting their airtime access.

Deployment Example:

Ubiquiti UniFi AP AC Pro Indoor / Outdoor Access Point 5 Pack



Ubiquiti UniFi AP AC Pro Indoor / Outdoor Access Point 5 Pack

Compare UniFi models



Ubiquiti UniFi UAP-AC-Pro 5 Pack Technical Specification General

- Dimensions 196.7 x 196.7 x 35 mm (7.74 x 7.74 x 1.38")
- Weight 350 g (12.4 oz) With Mounting Kits 450 g (15.9 oz)
- Networking Interface (2) 10/100/1000 Ethernet Ports
- Port (1) USB 2.0 Port
- Buttons Reset
- Antennas (3) Dual-Band Antennas, 3 dBi Each
- Wi-Fi Standards 802.11 a/b/g/n/ac
- Power Method Passive Power over Ethernet (48V), 802.3af/803.2at Supported (Supported Voltage Range: 44 to 57VDC)
- Power Supply 48V, 0.5A PoE Gigabit Adapter*
- Maximum Power Consumption With Optional Accessory 9W 20W
- Maximum TX Power 2.4 GHz 22 dBm 5 GHz 22 dBm
- BSSID Up to Four per Radio
- Power Save Supported
- Wireless Security WEP, WPA-PSK, WPA-Enterprise (WPA/WPA2, TKIP/AES)
- Certifications CE, FCC, IC
- Mounting Wall/Ceiling (Kits Included)
- Operating Temperature -10 to 70° C (14 to 158° F)
- Operating Humidity 5 to 95% Noncondensing

Advanced Traffic Management

- VLAN 802.1Q
- Advanced QoS Per-User Rate Limiting
- Guest Traffic Isolation Supported
- WMM Voice, Video, Best Effort, and Background
- Concurrent Clients 200+

Supported Data Rates (Mbps)

- Standard Data Rates
- 802.11a 6, 9, 12, 18, 24, 36, 48, 54 Mbps
- 802.11n 6.5 Mbps to 450 Mbps (MCS0 - MCS23, HT 20/40)
- 802.11ac 6.5 Mbps to 1300 Mbps (MCS0 - MCS9 NSS1/2/3, VHT 20/40/80)
- 802.11b 1, 2, 5.5, 11 Mbps
- 802.11g 6, 9, 12, 18, 24, 36, 48, 54 Mbps

Ubiquiti UniFi AP AC Pro Indoor / Outdoor Access Point 5 Pack

Price: £518.00

Options available for Ubiquiti UniFi AP AC Pro Indoor / Outdoor Access Point 5 Pack :

PoE Kit PoE-48-24W-G-KIT Required?

Not Required, [5 x PoE-48-24W-G-KIT Required \(+£60.00\)](#).