

Ubiquiti UniFi Switch 8 Port - US-8-60W (PoE)



Product Name: Ubiquiti UniFi Switch 8 Port - US-8-60W (PoE)

Manufacturer: Ubiquiti Networks


Model Number: US-8-60W

Ubiquiti UniFi Switch 8 Port - US-8-60W (PoE)

The Ubiquiti UniFi US-8-60W is an 8 port PoE gigabit switch with four 802.3af PoE ports. The US-8-60W auto-sensing PoE ports deliver up to 15.4W of power per port all in a compact form factor. Alike the other UniFi Switches, the US-8-60W is fully manageable, delivering robust performance for your network.

Ubiquiti UniFi US-8-60W (PoE) Key Features

- (8) Gigabit RJ45 Ports
- (4) Auto-Sensing IEEE 802.3af PoE Ports
- Non-Blocking Throughput: 8 Gbps
- Switching Capacity: 16 Gbps
- Forwarding Rate: 11.9 Mpps
- Maximum Power Consumption: 12W



US-8-60W Sample Network Diagram

Ubiquiti UniFi US-8-60W (PoE) - Technical Specifications
General

Ubiquiti UniFi Switch 8 Port - US-8-60W (PoE)

- Dimensions 148.0 x 99.5 x 30.7 mm (5.83 x 3.92 x 1.21")
- Weight 432 g (15.24 oz)
- Enclosure Characteristics SGCC Steel
- Total Non-Blocking Throughput 8 Gbps
- Switching Capacity 16 Gbps
- Forwarding Rate 11.9 Mpps
- Max. Power Consumption 12W (Excluding PoE Output)
- Max. PoE Wattage per Port 15.4W
- Power Method 48VDC, Max. 2A
- Supported Voltage Range 57VDC to 44VDC
- Power Supply External AC/DC Adapter, 48V, 1.25A
- LEDs PoE (Port 8), Speed/Link/Activity (All Ports)
- Networking Interfaces (8) 10/100/1000 Mbps RJ45 Ports
- PoE Interfaces (4) Ports 5, 6, 7, 8; IEEE 802.3af
- ESD/EMP Protection Air: ±24 kV, Contact: ±24 kV
- Operating Temperature -5 to 45°C (23 to 113°F)
- Operating Humidity 5 to 95% Noncondensing
- Shock and Vibration ETSI 300-019-1.4 Standard
- Certifications CE, FCC, IC Datasheet

Price: £90.00